







Gate	Number	X-Mean	HP	X-CV
All	9,350	557.78		2.48
FCblue@2.0	4,994	830.09		0.92
FCred	2,068	304.35		1.39
FCviolet	1,764	120.98		2.48



Gate	Number	X-Mean	HP	X-CV
All	4,994	539.74		0.78
FL1@2.0	4,888	541.95		0.78




Gate	Number	X-Mean	HP	X-CV
All	4,994	523.54		0.88
FL2@2.0	4,784	524.95		0.88



Gate	Number	X-Mean	HP	X-CV
All	4,994	525.39		0.80
FL3@2.0	4,751	526.63		0.80


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	4,994	475.78		1.07
FL4@2.0	4,933	477.82		1.07


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	4,994	548.73		1.31
FL5@2.5	2,419	542.23		0.62


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	2,068	504.03		0.92
FL6@3.0	2,053	507.29		0.92


[FCred] FL7



FL7


Gate	Number	X-Mean	HP	X-CV
All	2,068	458.83		1.19
FL7@3.0	2,053	461.80		1.19

[FCred] FL8




Gate	Number	X-AMean	HP	X-CV
All	2,068	516.86		0.98
FL8@3.0	2,037	519.92		0.98

[FCviolet] FL9



Gate	Number	X-AMean	HP	X-CV
All	1,764	491.84		1.27
FL9@4.0	1,741	494.53		1.27

[FCviolet] FL10



Gate	Number	X-AMean	HP	X-CV
All	1,764	503.88		1.41
FL10@4.0	1,740	506.55		1.41