



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	9,906	543.35		2.11
FCblue@2.0	5,000	844.66		0.60
FCred	2,246	307.44		1.11
FCviolet	2,075	122.31		2.11

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	560.25		0.68
FL1@2.0	4,957	563.36		0.68

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	539.86		0.78
FL2@2.0	4,948	542.74		0.78

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	5,000	545.32		0.85
FL3@2.0	4,952	548.27		0.85


[FCblue@2.0] FL4



FL4

Gate	Number	X-AMean	HP	X-CV
All	5,000	496.94		0.94
FL4@2.0	4,952	499.14		0.94


[FCblue@2.0] FL5



FL5

Gate	Number	X-AMean	HP	X-CV
All	5,000	565.53		1.13
FL5@2.5	4,945	568.07		1.13


[FCred] FL6



FL6


Gate	Number	X-AMean	HP	X-CV
All	2,246	517.61		0.81
FL6@3.0	2,175	522.22		0.81

[FCred] FL7




FL7


Gate	Number	X-AMean	HP	X-CV
All	2,246	471.93		0.90
FL7@3.0	2,218	476.82		0.90



Gate	Number	X-Mean	HP	X-CV
All	2,246	527.74		1.12
FL8@3.0	2,217	533.18		1.12



Gate	Number	X-Mean	HP	X-CV
All	2,075	506.47		1.08
FL9@4.0	2,066	508.38		1.08



Gate	Number	X-Mean	HP	X-CV
All	2,075	527.50		0.96
FL10@4.0	2,072	528.26		0.96