



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	10,289	530.41		2.11
FCblue@2.0	5,000	842.20		0.65
FCred	2,411	307.53		1.11
FCviolet	2,243	122.18		2.11

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	554.12		0.69
FL1@2.0	4,971	556.64		0.69

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	526.92		0.88
FL2@2.0	4,970	529.29		0.88

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	5,000	532.59		0.72
FL3@2.0	4,971	535.00		0.72


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	5,000	496.51	0.94	
FL4@2.0	4,963	498.63	0.94	


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	5,000	553.12	1.15	
FL5@2.5	4,966	555.55	1.15	


[FCred] FL6



FL6


Gate	Number	X-Mean	HP	X-CV
All	2,411	505.61	0.83	
FL6@3.0	2,363	513.67	0.83	

[FCred] FL7




FL7


Gate	Number	X-Mean	HP	X-CV
All	2,411	460.44	1.19	
FL7@3.0	2,370	467.90	1.19	



Gate	Number	X-Mean	HP	X-CV
All	2,411	510.54		0.99
FL8@3.0	2,364	518.86		0.99



Gate	Number	X-Mean	HP	X-CV
All	2,243	481.88		1.03
FL9@4.0	2,197	487.62		1.03



Gate	Number	X-Mean	HP	X-CV
All	2,243	512.84		1.23
FL10@4.0	2,225	515.71		1.23