



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	9,999	535.28		1.81
FCblue@2.0	5,000	819.09		0.78
FCred	2,353	300.74		1.13
FCviolet	1,945	119.47		1.81

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	535.88		0.72
FL1@2.0	4,634	537.31		0.72

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	516.53		0.74
FL2@2.0	4,987	517.06		0.74

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	5,000	524.44		0.73
FL3@2.0	4,987	524.98		0.73


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	5,000	486.52		0.88
FL4@2.0	4,989	486.59		0.88


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	5,000	544.96		1.09
FL5@2.5	4,987	545.08		1.09


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	2,353	496.65		0.68
FL6@3.0	2,334	500.32		0.68


[FCred] FL7



FL7

Gate	Number	X-Mean	HP	X-CV
All	2,353	455.93		1.03
FL7@3.0	2,332	459.28		1.03


[FCred] FL8



FL8

Gate	Number	X-Mean	HP	X-CV
All	2,353	506.96	1.00	
FL8@3.0	2,323	510.72	1.00	


[FCviolet] FL9



FL9

Gate	Number	X-Mean	HP	X-CV
All	1,945	471.41	1.15	
FL9@4.0	1,868	476.05	1.15	

[FCviolet] FL10



FL10

Gate	Number	X-Mean	HP	X-CV
All	1,945	503.62	0.91	
FL10@4.0	1,917	506.36	0.91	