



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	9,916	537.68		2.16
FCblue@2.0	5,000	829.26		0.71
FCred	2,273	301.83		1.13
FCviolet	1,933	119.83		2.16

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	542.05		0.78
FL1@2.0	4,972	543.30		0.78

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	524.57		0.89
FL2@2.0	4,981	525.71		0.89

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	5,000	523.53		0.89
FL3@2.0	4,980	524.69		0.89


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	5,000	486.25	1.05	
FL4@2.0	4,981	486.37	1.05	


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	5,000	547.66	1.24	
FL5@2.5	4,979	547.94	1.24	


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	2,273	496.84	0.93	
FL6@3.0	2,248	502.17	0.93	


[FCred] FL7



FL7


Gate	Number	X-Mean	HP	X-CV
All	2,273	456.52	0.93	
FL7@3.0	2,248	461.42	0.93	

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	2,273	502.58		1.10
FL8@3.0	2,234	508.14		1.10

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,933	477.02		1.22
FL9@4.0	1,875	483.32		1.22

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,933	512.55		0.99
FL10@4.0	1,912	516.94		0.99