



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	10,701	506.17		2.18
FCblue@2.0	5,000	823.37		0.67
FCred	2,611	300.26		1.00
FCviolet	2,434	119.50		2.18

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	537.52		0.79
FL1@2.0	4,971	538.03		0.79

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	520.39		1.06
FL2@2.0	4,990	521.11		1.06

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	5,000	522.94		0.89
FL3@2.0	4,975	523.49		0.89

[FCblue@2.0] FL4




Gate	Number	X-AMean	HP	X-CV
All	5,000	474.80	1.07	
FL4@2.0	4,983	475.17	1.07	

[FCblue@2.0] FL5




Gate	Number	X-AMean	HP	X-CV
All	5,000	544.09	1.33	
FL5@2.5	4,988	544.69	1.33	

[FCred] FL6




Gate	Number	X-AMean	HP	X-CV
All	2,611	494.63	0.77	
FL6@3.0	2,593	497.91	0.77	

[FCred] FL7




Gate	Number	X-AMean	HP	X-CV
All	2,611	451.13	1.03	
FL7@3.0	2,584	454.25	1.03	

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	2,611	501.87		0.84
FL8@3.0	2,576	505.43		0.84

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	2,434	451.17		1.38
FL9@4.0	2,397	456.68		1.38

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	2,434	499.20		1.52
FL10@4.0	2,401	500.46		1.52