



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	11,112	568.17		2.22
FCblue@2.0	5,000	943.83		0.67
FCred	2,886	342.57		1.12
FCviolet	2,519	136.18		2.22

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,000	514.63		1.15
FL1@2.0	4,964	515.83		1.15

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	5,000	505.67		1.33
FL2@2.0	4,975	506.96		1.33

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	5,000	516.47		1.71
FL3@2.0	4,971	517.79		1.71

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	5,000	484.12		1.74
FL4@2.0	4,965	485.26		1.74

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	5,000	508.48		1.09
FL5@2.5	4,973	509.78		1.09

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	2,886	490.41		0.78
FL6@3.0	2,866	493.53		0.78

[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	2,886	506.41		1.17
FL7@3.0	2,867	509.62		1.17

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	2,886	510.75		1.16
FL8@3.0	2,852	514.12		1.16

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	2,519	501.08		1.57
FL9@4.0	2,494	505.92		1.57

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	2,519	507.14		1.32
FL10@4.0	2,484	512.19		1.32