



[Ungated] FS




Gate	Number	X-AMean	HP	X-CV
All	10,046	490.50	1.94	
FCblue@2.0	3,659	933.19	0.45	
FCred	2,715	333.00	0.90	
FCviolet	2,710	132.59	1.94	

[FCblue@2.0] FL1




Gate	Number	X-AMean	HP	X-CV
All	3,659	541.69	1.01	
FL1@2.0	3,638	543.80	1.01	

[FCblue@2.0] FL2




Gate	Number	X-AMean	HP	X-CV
All	3,659	565.01	0.67	
FL2@2.0	3,626	566.99	0.67	

[FCblue@2.0] FL3



Gate	Number	X-AMean	HP	X-CV
All	3,659	547.06	0.92	
FL3@2.0	3,626	548.98	0.92	


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	3,659	576.90		1.17
FL4@2.0	3,618	578.57		1.17


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	3,659	569.25		1.78
FL5@2.5	3,635	571.10		1.78


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	2,715	523.96		0.88
FL6@3.0	2,528	532.95		0.88


[FCred] FL7



FL7

Gate	Number	X-Mean	HP	X-CV
All	2,715	525.93		1.35
FL7@3.0	2,660	536.36		1.35


[FCred] FL8



FL8

Gate	Number	X-Mean	HP	X-CV
All	2,715	506.16		1.24
FL8@3.0	2,649	516.47		1.24


[FCviolet] FL9



FL9

Gate	Number	X-Mean	HP	X-CV
All	2,710	528.73		1.38
FL9@4.0	2,614	546.11		1.38

[FCviolet] FL10



FL10

Gate	Number	X-Mean	HP	X-CV
All	2,710	528.13		1.16
FL10@4.0	2,616	542.53		1.16