



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	12,909	520.51		1.58
FCblue@2.0	5,000	954.52		0.53
FCred	3,547	340.98		1.00
FCviolet	3,482	135.98		1.58

Gate	Number	X-Mean	HP	X-CV
All	5,000	549.06		0.92
FL1@2.0	4,107	548.76		0.84

[FCblue@2.0] FL2




[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	5,000	550.53		0.76
FL2@2.0	3,867	548.58		0.60

Gate	Number	X-Mean	HP	X-CV
All	5,000	535.93		0.70
FL3@2.0	4,898	538.47		0.70


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	5,000	563.54	0.89	
FL4@2.0	710	545.94	0.46	


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	5,000	555.28	2.59	
FL5@2.5	3,739	551.81	2.21	


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	3,547	528.12	0.96	
FL6@3.0	3,358	530.99	0.96	


[FCred] FL7



FL7


Gate	Number	X-Mean	HP	X-CV
All	3,547	529.90	1.20	
FL7@3.0	3,516	534.07	1.20	

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	3,547	506.85		1.33
FL8@3.0	3,504	511.08		1.33

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	3,482	526.46		1.24
FL9@4.0	3,391	538.15		1.24

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	3,482	527.18		1.18
FL10@4.0	3,392	535.39		1.18