



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	3,383	373.14		1.83
FCblue@2.0	1,081	787.79		0.38
FCred	1,031	252.24		0.84
FCviolet	1,060	92.85		1.83

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	1,081	505.82		1.17
FL1@2.0	1,079	505.82		1.17

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	1,081	490.93		1.64
FL2@2.0	1,080	490.86		1.64

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	1,081	505.15		1.34
FL3@2.0	1,080	505.08		1.34

[FCblue@2.0] FL4




Gate	Number	X-AMean	HP	X-CV
All	1,081	500.26		1.36
FL4@2.0	1,078	500.18		1.36

[FCblue@2.0] FL5




Gate	Number	X-AMean	HP	X-CV
All	1,081	512.61		1.15
FL5@2.5	1,081	512.61		1.15

[FCred] FL6




Gate	Number	X-AMean	HP	X-CV
All	1,031	491.76		0.94
FL6@3.0	1,014	495.58		0.94


[FCred] FL7




Gate	Number	X-AMean	HP	X-CV
All	1,031	484.12		1.05
FL7@3.0	1,021	487.66		1.05



Gate	Number	X-Mean	HP	X-CV
All	1,031	478.43		1.07
FL8@3.0	1,017	482.10		1.07



Gate	Number	X-Mean	HP	X-CV
All	1,060	481.80		1.03
FL9@4.0	1,024	498.15		1.03



Gate	Number	X-Mean	HP	X-CV
All	1,060	468.83		0.70
FL10@4.0	1,023	484.74		0.70