



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	4,713	303.00		1.81
FCblue@2.0	1,036	792.31		0.43
FCred	1,441	253.18		0.85
FCviolet	1,942	93.36		1.81

Gate	Number	X-Mean	HP	X-CV
All	1,036	510.84		0.90
FL1@2.0	1,036	510.84		0.90

[FCblue@2.0] FL2




[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	1,036	495.12		2.06
FL2@2.0	1,036	495.12		2.06


Gate	Number	X-Mean	HP	X-CV
All	1,036	507.74		1.34
FL3@2.0	1,036	507.74		1.34

[FCblue@2.0] FL4




Gate	Number	X-AMean	HP	X-CV
All	1,036	504.63		2.09
FL4@2.0	1,034	504.72		2.09

[FCblue@2.0] FL5




Gate	Number	X-AMean	HP	X-CV
All	1,036	519.40		1.31
FL5@2.5	1,036	519.40		1.31

[FCred] FL6




Gate	Number	X-AMean	HP	X-CV
All	1,441	504.34		1.10
FL6@3.0	1,432	506.27		1.10


[FCred] FL7




Gate	Number	X-AMean	HP	X-CV
All	1,441	495.63		1.28
FL7@3.0	1,434	497.38		1.28



Gate	Number	X-Mean	HP	X-CV
All	1,441	492.31		1.21
FL8@3.0	1,432	494.21		1.21



Gate	Number	X-Mean	HP	X-CV
All	1,942	485.44		0.94
FL9@4.0	1,898	494.92		0.94



Gate	Number	X-Mean	HP	X-CV
All	1,942	478.36		0.96
FL10@4.0	1,899	487.22		0.96