



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	4,359	549.46		0.65
FCblue@2.0	2,500	789.27		0.65
FCred	1,126	253.72		1.01
FCviolet	537	93.28		1.81

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	505.48		1.67
FL1@2.0	2,494	505.81		1.67

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	488.59		2.25
FL2@2.0	2,496	488.88		2.25

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	2,500	505.66		1.76
FL3@2.0	2,497	505.94		1.76


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	509.87		2.16
FL4@2.0	2,491	509.65		2.16


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	519.47		2.12
FL5@2.5	2,497	519.34		2.12


[FCred] FL6



FL6


Gate	Number	X-Mean	HP	X-CV
All	1,126	510.88		0.83
FL6@3.0	1,123	511.82		0.83

[FCred] FL7




FL7


Gate	Number	X-Mean	HP	X-CV
All	1,126	510.50		0.75
FL7@3.0	1,116	511.12		0.75



Gate	Number	X-Mean	HP	X-CV
All	1,126	502.87		1.10
FL8@3.0	1,124	503.76		1.10



Gate	Number	X-Mean	HP	X-CV
All	537	481.81		0.95
FL9@4.0	525	492.39		0.95



Gate	Number	X-Mean	HP	X-CV
All	537	480.93		0.78
FL10@4.0	526	489.94		0.78