



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	5,000	471.72		1.79
FCblue@2.0	2,324	798.20		0.59
FCred	1,101	256.04		1.17
FCviolet	1,311	94.76		1.79

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,324	512.05		1.91
FL1@2.0	2,321	512.27		1.91

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,324	498.41		2.02
FL2@2.0	2,322	498.59		2.02

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,324	510.36		2.05
FL3@2.0	2,323	510.57		2.05

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,324	511.69		2.09
FL4@2.0	2,317	511.33		2.09

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,324	527.95		2.68
FL5@2.5	2,323	527.74		2.68

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,101	513.79		0.83
FL6@3.0	1,094	515.47		0.83


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,101	507.05		1.25
FL7@3.0	1,092	508.34		1.25



Gate	Number	X-Mean	HP	X-CV
All	1,101	504.02	1.00	
FL8@3.0	1,094	505.66	1.00	



Gate	Number	X-Mean	HP	X-CV
All	1,311	480.94	1.11	
FL9@4.0	1,265	495.42	1.11	



Gate	Number	X-Mean	HP	X-CV
All	1,311	479.43	1.04	
FL10@4.0	1,276	490.33	1.04	