



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	5,628	455.75		2.26
FCblue@2.0	2,500	790.56		0.70
FCred	1,409	254.02		1.18
FCviolet	1,436	93.98		2.26

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	511.87		1.96
FL1@2.0	2,497	511.90		1.96

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	497.32		2.47
FL2@2.0	2,497	497.34		2.47

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	509.81		1.92
FL3@2.0	2,499	509.84		1.92

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	511.06		2.19
FL4@2.0	2,495	511.05		2.19

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	519.21		2.45
FL5@2.5	2,499	519.24		2.45

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,409	519.38		0.90
FL6@3.0	1,406	520.49		0.90


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,409	512.14		1.24
FL7@3.0	1,391	512.79		1.24



Gate	Number	X-Mean	HP	X-CV
All	1,409	506.79		1.26
FL8@3.0	1,405	507.83		1.26



Gate	Number	X-Mean	HP	X-CV
All	1,436	476.64		1.37
FL9@4.0	1,382	491.98		1.37



Gate	Number	X-Mean	HP	X-CV
All	1,436	481.19		0.95
FL10@4.0	1,388	493.91		0.95