



[Ungated] FS




Gate	Number	X-AMean	HP	X-CV
All	5,554	456.61	1.81	
FCblue@2.0	2,500	787.61	0.65	
FCred	1,302	253.22	1.00	
FCviolet	1,452	93.83	1.81	

[FCblue@2.0] FL1




Gate	Number	X-AMean	HP	X-CV
All	2,500	507.26	1.25	
FL1@2.0	2,492	507.69	1.25	

[FCblue@2.0] FL2




Gate	Number	X-AMean	HP	X-CV
All	2,500	490.52	1.46	
FL2@2.0	2,494	490.99	1.46	


[FCblue@2.0] FL3




Gate	Number	X-AMean	HP	X-CV
All	2,500	508.18	1.58	
FL3@2.0	2,494	508.65	1.58	




Gate	Number	X-Mean	HP	X-CV
All	2,500	512.15		1.48
FL4@2.0	2,486	511.65		1.48




Gate	Number	X-Mean	HP	X-CV
All	2,500	518.58		1.70
FL5@2.5	2,495	518.29		1.70




Gate	Number	X-Mean	HP	X-CV
All	1,302	506.74		0.67
FL6@3.0	1,294	508.04		0.67




Gate	Number	X-Mean	HP	X-CV
All	1,302	497.07		0.94
FL7@3.0	1,299	498.21		0.94



Gate	Number	X-Mean	HP	X-CV
All	1,302	492.10		0.95
FL8@3.0	1,299	493.24		0.95



Gate	Number	X-Mean	HP	X-CV
All	1,452	466.00		1.30
FL9@4.0	1,374	489.13		1.30



Gate	Number	X-Mean	HP	X-CV
All	1,452	478.72		0.77
FL10@4.0	1,399	494.74		0.77