







Gate	Number	X-Mean	HP	X-CV
All	5,389	465.32		1.83
FCblue@2.0	2,500	784.14		0.54
FCred	1,294	251.98		0.85
FCviolet	1,326	92.91		1.83



Gate	Number	X-Mean	HP	X-CV
All	2,500	513.15		1.07
FL1@2.0	2,493	513.32		1.07




Gate	Number	X-Mean	HP	X-CV
All	2,500	486.91		1.21
FL2@2.0	2,497	487.15		1.21




Gate	Number	X-Mean	HP	X-CV
All	2,500	507.08		1.24
FL3@2.0	2,498	507.31		1.24

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	511.06		1.56
FL4@2.0	2,492	510.74		1.56

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	515.54		1.71
FL5@2.5	2,498	515.37		1.71

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,294	509.31		1.07
FL6@3.0	1,283	512.24		1.07


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,294	500.56		0.93
FL7@3.0	1,285	503.31		0.93



Gate	Number	X-Mean	HP	X-CV
All	1,294	486.70		1.04
FL8@3.0	1,282	489.49		1.04



Gate	Number	X-Mean	HP	X-CV
All	1,326	468.25		1.47
FL9@4.0	1,243	487.58		1.47



Gate	Number	X-Mean	HP	X-CV
All	1,326	476.08		0.79
FL10@4.0	1,286	488.10		0.79