



[Ungated] FS




Gate	Number	X-AMean	HP	X-CV
All	4,866	580.83		1.46
FCblue@2.0	2,500	911.68		0.94
FCred	1,153	314.38		1.08
FCviolet	1,004	113.89		1.46

[FCblue@2.0] FL1




Gate	Number	X-AMean	HP	X-CV
All	2,500	512.28		1.07
FL1@2.0	2,492	512.59		1.07

[FCblue@2.0] FL2




Gate	Number	X-AMean	HP	X-CV
All	2,500	507.93		0.91
FL2@2.0	2,486	507.98		0.91

[FCblue@2.0] FL3



Gate	Number	X-AMean	HP	X-CV
All	2,500	500.78		1.10
FL3@2.0	2,495	501.16		1.10


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	507.74		1.17
FL4@2.0	2,490	508.01		1.17


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	509.32		1.08
FL5@2.5	2,495	509.72		1.08


[FCred] FL6



FL6


Gate	Number	X-Mean	HP	X-CV
All	1,153	496.23		1.04
FL6@3.0	1,152	496.66		1.04

[FCred] FL7




FL7


Gate	Number	X-Mean	HP	X-CV
All	1,153	490.92		1.31
FL7@3.0	1,152	491.35		1.31



Gate	Number	X-Mean	HP	X-CV
All	1,153	486.88		1.31
FL8@3.0	1,151	487.33		1.31



Gate	Number	X-Mean	HP	X-CV
All	1,004	496.02		0.59
FL9@4.0	980	505.43		0.59



Gate	Number	X-Mean	HP	X-CV
All	1,004	485.41		1.58
FL10@4.0	979	487.32		1.58