



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	4,773	601.05		1.81
FCblue@2.0	2,500	929.57		0.87
FCred	1,061	320.04		1.06
FCviolet	998	115.87		1.81

Gate	Number	X-Mean	HP	X-CV
All	2,500	517.11		1.05
FL1@2.0	2,484	516.87		1.05

[FCblue@2.0] FL2




[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	519.52		1.36
FL2@2.0	2,450	518.56		1.36


Gate	Number	X-Mean	HP	X-CV
All	2,500	514.49		1.30
FL3@2.0	2,497	514.41		1.30




Gate	Number	X-Mean	HP	X-CV
All	2,500	506.85		1.41
FL4@2.0	2,490	506.74		1.41




Gate	Number	X-Mean	HP	X-CV
All	2,500	518.91		1.29
FL5@2.5	2,500	518.91		1.29




Gate	Number	X-Mean	HP	X-CV
All	1,061	486.06		1.05
FL6@3.0	1,053	487.61		1.05




Gate	Number	X-Mean	HP	X-CV
All	1,061	482.48		1.15
FL7@3.0	1,058	483.84		1.15



Gate	Number	X-AMean	HP	X-CV
All	1,061	485.44		1.49
FL8@3.0	1,055	486.93		1.49



Gate	Number	X-AMean	HP	X-CV
All	998	504.78		1.68
FL9@4.0	983	511.56		1.68



Gate	Number	X-AMean	HP	X-CV
All	998	489.66		1.61
FL10@4.0	984	495.98		1.61