







Gate	Number	X-Mean	HP	X-CV
All	5,305	548.13		1.86
FCblue@2.0	2,500	906.82		1.07
FCred	1,350	312.16		0.96
FCviolet	1,225	112.75		1.86



Gate	Number	X-Mean	HP	X-CV
All	2,500	500.04		1.09
FL1@2.0	2,493	500.19		1.09




Gate	Number	X-Mean	HP	X-CV
All	2,500	499.27		1.01
FL2@2.0	2,497	499.26		1.01




Gate	Number	X-Mean	HP	X-CV
All	2,500	501.95		0.93
FL3@2.0	2,499	502.01		0.93

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	496.62		0.93
FL4@2.0	2,495	496.66		0.93

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	507.06		1.26
FL5@2.5	2,498	507.14		1.26

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,350	514.49		0.50
FL6@3.0	1,346	515.68		0.50


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,350	509.21		0.84
FL7@3.0	1,340	510.13		0.84



Gate	Number	X-Mean	HP	X-CV
All	1,350	504.33		1.18
FL8@3.0	1,346	505.50		1.18



Gate	Number	X-Mean	HP	X-CV
All	1,225	518.39		0.71
FL9@4.0	1,193	530.16		0.71



Gate	Number	X-Mean	HP	X-CV
All	1,225	505.83		1.17
FL10@4.0	1,191	511.90		1.17