



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	4,990	581.43		1.83
FCblue@2.0	2,500	921.15		1.06
FCred	1,210	317.27		0.81
FCviolet	1,042	115.28		1.83

Gate	Number	X-Mean	HP	X-CV
All	2,500	515.05		1.23
FL1@2.0	2,491	515.36		1.23

[FCblue@2.0] FL2




[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	2,500	515.35		1.06
FL2@2.0	2,455	514.97		1.06


Gate	Number	X-Mean	HP	X-CV
All	2,500	512.37		1.08
FL3@2.0	2,495	512.75		1.08

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	501.98		1.44
FL4@2.0	2,494	502.33		1.44

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	510.94		1.33
FL5@2.5	2,497	511.39		1.33

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,210	504.27		0.85
FL6@3.0	1,205	505.99		0.85

[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,210	501.61		1.28
FL7@3.0	1,206	503.27		1.28

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	1,210	496.81		1.12
FL8@3.0	1,205	498.52		1.12

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,042	509.18		1.04
FL9@4.0	1,000	527.25		1.04

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,042	499.55		1.33
FL10@4.0	992	508.01		1.33