



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	5,284	556.70		1.85
FCblue@2.0	2,500	920.69		0.92
FCred	1,313	316.00		0.94
FCviolet	1,167	113.82		1.85

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	516.94		1.29
FL1@2.0	2,481	516.80		1.29

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	518.67		1.36
FL2@2.0	2,440	517.59		1.36


[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	512.20		1.62
FL3@2.0	2,494	512.15		1.62




Gate	Number	X-Mean	HP	X-CV
All	2,500	502.09		1.08
FL4@2.0	2,481	502.22		1.08




Gate	Number	X-Mean	HP	X-CV
All	2,500	508.18		1.40
FL5@2.5	2,495	508.27		1.40




Gate	Number	X-Mean	HP	X-CV
All	1,313	500.85		0.93
FL6@3.0	1,298	505.96		0.93




Gate	Number	X-Mean	HP	X-CV
All	1,313	496.83		1.02
FL7@3.0	1,300	501.80		1.02



Gate	Number	X-Mean	HP	X-CV
All	1,313	492.50		1.29
FL8@3.0	1,298	497.53		1.29



Gate	Number	X-Mean	HP	X-CV
All	1,167	515.10		N/A
FL9@4.0	1,120	535.76		0.77



Gate	Number	X-Mean	HP	X-CV
All	1,167	498.05		1.06
FL10@4.0	1,117	517.90		1.06