



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	4,932	580.98		2.22
FCblue@2.0	2,500	917.57		1.16
FCred	1,109	315.30		1.22
FCviolet	1,058	114.19		2.22

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	518.43		1.13
FL1@2.0	2,483	518.21		1.13

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	517.31		1.38
FL2@2.0	2,456	516.50		1.38

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	514.51		1.31
FL3@2.0	2,495	514.49		1.31

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	503.70		1.00
FL4@2.0	2,486	503.73		1.00

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	510.61		1.49
FL5@2.5	2,497	510.70		1.49

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,109	496.19		1.02
FL6@3.0	1,100	500.24		1.02

[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,109	489.98		1.04
FL7@3.0	1,100	493.98		1.04

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	1,109	486.55		0.96
FL8@3.0	1,098	490.61		0.96

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,058	505.23		N/A
FL9@4.0	1,016	524.55		1.10

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,058	492.99		1.08
FL10@4.0	1,016	510.69		1.08