



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,048	574.39		1.85
FCblue@2.0	2,500	915.53		1.07
FCred	1,235	315.12		1.08
FCviolet	1,044	114.18		1.85

Gate	Number	X-Mean	HP	X-CV
All	2,500	505.65		1.25
FL1@2.0	2,493	506.12		1.25

[FCblue@2.0] FL2




[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	2,500	511.40		1.55
FL2@2.0	2,474	511.36		1.55


Gate	Number	X-Mean	HP	X-CV
All	2,500	510.36		1.24
FL3@2.0	2,497	510.79		1.24

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	498.14		1.27
FL4@2.0	2,491	498.26		1.27

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	504.56		1.68
FL5@2.5	2,496	504.61		1.68

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,235	497.45		1.02
FL6@3.0	1,229	499.52		1.02

[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,235	484.18		1.22
FL7@3.0	1,229	486.21		1.22

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	1,235	482.25		1.41
FL8@3.0	1,226	484.36		1.41

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,044	512.85		1.03
FL9@4.0	1,010	528.24		1.03

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,044	499.63		1.17
FL10@4.0	1,008	507.66		1.17