



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	5,292	562.05		2.18
FCblue@2.0	2,500	921.36		1.11
FCred	1,354	317.32		1.07
FCviolet	1,169	114.97		2.18

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	505.83		1.42
FL1@2.0	2,491	505.95		1.42

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	516.42		1.38
FL2@2.0	2,460	515.62		1.38

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	2,500	509.59		1.57
FL3@2.0	2,498	509.52		1.57


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	498.64	1.44	
FL4@2.0	2,489	498.71	1.44	


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	509.52	1.24	
FL5@2.5	2,500	509.52	1.24	


[FCred] FL6



FL6


Gate	Number	X-Mean	HP	X-CV
All	1,354	515.42	0.82	
FL6@3.0	1,347	517.43	0.82	

[FCred] FL7




FL7


Gate	Number	X-Mean	HP	X-CV
All	1,354	503.52	1.01	
FL7@3.0	1,349	505.38	1.01	



Gate	Number	X-Mean	HP	X-CV
All	1,354	501.65		0.85
FL8@3.0	1,347	503.61		0.85



Gate	Number	X-Mean	HP	X-CV
All	1,169	519.67		1.24
FL9@4.0	1,124	537.47		1.24



Gate	Number	X-Mean	HP	X-CV
All	1,169	511.60		1.15
FL10@4.0	1,123	519.48		1.15