



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	4,938	576.99		1.85
FCblue@2.0	2,500	913.19		0.84
FCred	1,197	314.51		0.95
FCviolet	1,045	114.23		1.85

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	511.69		1.15
FL1@2.0	2,495	511.57		1.15

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	514.94		1.06
FL2@2.0	2,479	514.49		1.06

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	511.11		1.32
FL3@2.0	2,497	511.02		1.32

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	495.43		1.20
FL4@2.0	2,495	495.37		1.20

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	504.40		1.18
FL5@2.5	2,500	504.40		1.18

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,197	504.89		0.76
FL6@3.0	1,191	507.36		0.76


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,197	495.19		1.03
FL7@3.0	1,191	497.62		1.03



Gate	Number	X-Mean	HP	X-CV
All	1,197	487.39		1.22
FL8@3.0	1,190	489.81		1.22



Gate	Number	X-Mean	HP	X-CV
All	1,045	515.42		0.78
FL9@4.0	991	537.92		0.78



Gate	Number	X-Mean	HP	X-CV
All	1,045	512.05		1.07
FL10@4.0	988	516.00		1.07