



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	5,257	552.67	1.86	
FCblue@2.0	2,500	905.62	0.94	
FCred	1,297	311.39	0.82	
FCviolet	1,179	112.53	1.86	

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	489.98	1.04	
FL1@2.0	2,487	490.35	1.04	

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	499.79	1.18	
FL2@2.0	2,493	499.88	1.18	

[FCblue@2.0] FL3



Gate	Number	X-Mean	HP	X-CV
All	2,500	502.42	1.10	
FL3@2.0	2,498	502.65	1.10	


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	493.97		1.20
FL4@2.0	2,490	494.15		1.20


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	504.65		1.44
FL5@2.5	2,498	504.88		1.44


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	1,297	502.37		0.85
FL6@3.0	1,291	504.65		0.85


[FCred] FL7



FL7


Gate	Number	X-Mean	HP	X-CV
All	1,297	489.83		1.13
FL7@3.0	1,290	492.00		1.13

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	1,297	478.92		1.15
FL8@3.0	1,289	481.06		1.15

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,179	517.65		0.72
FL9@4.0	1,148	531.25		0.72

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,179	489.03		1.27
FL10@4.0	1,147	501.78		1.27