







Gate	Number	X-Mean	HP	X-CV
All	4,962	582.21		1.45
FCblue@2.0	2,500	925.15		0.92
FCred	1,101	318.42		1.07
FCviolet	1,006	115.21		1.45



Gate	Number	X-Mean	HP	X-CV
All	2,500	508.29		1.24
FL1@2.0	2,495	508.94		1.24




Gate	Number	X-Mean	HP	X-CV
All	2,500	517.47		1.38
FL2@2.0	2,451	517.25		1.38



Gate	Number	X-Mean	HP	X-CV
All	2,500	516.98		1.39
FL3@2.0	2,495	517.55		1.39


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	507.39		1.08
FL4@2.0	2,490	507.93		1.08


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	513.43		1.39
FL5@2.5	2,497	514.04		1.39


[FCred] FL6



FL6

Gate	Number	X-Mean	HP	X-CV
All	1,101	504.30		1.08
FL6@3.0	1,079	514.17		1.08


[FCred] FL7



FL7


Gate	Number	X-Mean	HP	X-CV
All	1,101	495.73		1.01
FL7@3.0	1,078	505.28		1.01

[FCred] FL8




Gate	Number	X-AMean	HP	X-CV
All	1,101	491.38		1.20
FL8@3.0	1,079	501.00		1.20

[FCviolet] FL9



Gate	Number	X-AMean	HP	X-CV
All	1,006	492.86		N/A
FL9@4.0	907	541.43		1.31

[FCviolet] FL10



Gate	Number	X-AMean	HP	X-CV
All	1,006	480.89		N/A
FL10@4.0	903	517.76		1.23