



[Ungated] FS




[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	5,099	565.51		1.83
FCblue@2.0	2,500	917.96		0.88
FCred	1,210	314.47		1.21
FCviolet	1,138	114.46		1.83

Gate	Number	X-Mean	HP	X-CV
All	2,500	497.95		1.43
FL1@2.0	2,491	498.79		1.43

[FCblue@2.0] FL2




[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	507.56		1.39
FL2@2.0	2,472	507.87		1.39


Gate	Number	X-Mean	HP	X-CV
All	2,500	508.74		1.81
FL3@2.0	2,492	509.44		1.81




Gate	Number	X-Mean	HP	X-CV
All	2,500	498.63		1.93
FL4@2.0	2,490	499.08		1.93



Gate	Number	X-Mean	HP	X-CV
All	2,500	504.61		1.16
FL5@2.5	2,495	505.21		1.16




Gate	Number	X-Mean	HP	X-CV
All	1,210	503.85		1.00
FL6@3.0	1,202	506.84		1.00




Gate	Number	X-Mean	HP	X-CV
All	1,210	494.39		1.12
FL7@3.0	1,203	497.26		1.12

[FCred] FL8




Gate	Number	X-Mean	HP	X-CV
All	1,210	484.78		1.05
FL8@3.0	1,200	487.72		1.05

[FCviolet] FL9



Gate	Number	X-Mean	HP	X-CV
All	1,138	515.95		1.25
FL9@4.0	1,096	532.65		1.25

[FCviolet] FL10



Gate	Number	X-Mean	HP	X-CV
All	1,138	504.45		1.41
FL10@4.0	1,096	511.04		1.41