



[Ungated] FS




Gate	Number	X-Mean	HP	X-CV
All	4,874	589.92		1.45
FCblue@2.0	2,500	924.38		0.83
FCred	1,128	318.08		0.94
FCviolet	1,014	116.11		1.45

[FCblue@2.0] FL1




Gate	Number	X-Mean	HP	X-CV
All	2,500	506.40		1.17
FL1@2.0	2,495	506.49		1.17

[FCblue@2.0] FL2




Gate	Number	X-Mean	HP	X-CV
All	2,500	513.30		1.15
FL2@2.0	2,469	512.88		1.15

[FCblue@2.0] FL3




Gate	Number	X-Mean	HP	X-CV
All	2,500	517.13		1.22
FL3@2.0	2,493	517.17		1.22

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	505.87		1.25
FL4@2.0	2,492	505.47		1.25

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	513.78		1.15
FL5@2.5	2,499	513.57		1.15

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,128	489.47		0.87
FL6@3.0	1,121	491.32		0.87

[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,128	478.10		1.15
FL7@3.0	1,124	479.80		1.15

[FCred] FL8




Gate	Number	X-AMean	HP	X-CV
All	1,128	496.65		1.38
FL8@3.0	1,123	498.46		1.38

[FCviolet] FL9



Gate	Number	X-AMean	HP	X-CV
All	1,014	506.06		1.43
FL9@4.0	969	524.28		1.43

[FCviolet] FL10



Gate	Number	X-AMean	HP	X-CV
All	1,014	495.02		1.36
FL10@4.0	967	499.50		1.36