







Gate	Number	X-Mean	HP	X-CV
All	5,392	534.55		1.88
FCblue@2.0	2,500	893.46		1.23
FCred	1,392	307.69		1.52
FCviolet	1,232	111.47		1.88



Gate	Number	X-Mean	HP	X-CV
All	2,500	493.41		1.03
FL1@2.0	2,495	493.52		1.03




Gate	Number	X-Mean	HP	X-CV
All	2,500	489.74		1.04
FL2@2.0	2,497	489.83		1.04



Gate	Number	X-Mean	HP	X-CV
All	2,500	499.39		0.85
FL3@2.0	2,498	499.46		0.85


[FCblue@2.0] FL4



FL4

Gate	Number	X-Mean	HP	X-CV
All	2,500	490.81		0.96
FL4@2.0	2,497	490.90		0.96


[FCblue@2.0] FL5



FL5

Gate	Number	X-Mean	HP	X-CV
All	2,500	498.99		1.02
FL5@2.5	2,497	499.09		1.02


[FCred] FL6



FL6


Gate	Number	X-Mean	HP	X-CV
All	1,392	510.99		1.08
FL6@3.0	1,384	513.94		1.08

[FCred] FL7




FL7


Gate	Number	X-Mean	HP	X-CV
All	1,392	491.73		1.29
FL7@3.0	1,384	494.57		1.29



Gate	Number	X-Mean	HP	X-CV
All	1,392	473.54		1.34
FL8@3.0	1,369	476.63		1.34



Gate	Number	X-Mean	HP	X-CV
All	1,232	510.61		1.36
FL9@4.0	1,181	529.61		1.36



Gate	Number	X-Mean	HP	X-CV
All	1,232	492.20		1.45
FL10@4.0	1,180	499.72		1.45