



[Ungated] FS




Gate	Number	X-AMean	HP	X-CV
All	4,866	579.31		1.83
FCblue@2.0	2,500	912.55		0.75
FCred	1,041	315.08		0.95
FCviolet	1,001	113.60		1.83

[FCblue@2.0] FL1




Gate	Number	X-AMean	HP	X-CV
All	2,500	503.93		0.84
FL1@2.0	2,498	503.93		0.84

[FCblue@2.0] FL2




Gate	Number	X-AMean	HP	X-CV
All	2,500	501.51		1.01
FL2@2.0	2,494	501.40		1.01

[FCblue@2.0] FL3




Gate	Number	X-AMean	HP	X-CV
All	2,500	510.90		0.92
FL3@2.0	2,497	510.81		0.92

[FCblue@2.0] FL4




Gate	Number	X-Mean	HP	X-CV
All	2,500	503.43		0.93
FL4@2.0	2,495	503.35		0.93

[FCblue@2.0] FL5




Gate	Number	X-Mean	HP	X-CV
All	2,500	510.79		1.17
FL5@2.5	2,500	510.79		1.17

[FCred] FL6




Gate	Number	X-Mean	HP	X-CV
All	1,041	496.53		0.94
FL6@3.0	1,030	499.95		0.94


[FCred] FL7




Gate	Number	X-Mean	HP	X-CV
All	1,041	479.50		1.14
FL7@3.0	1,031	482.73		1.14



Gate	Number	X-Mean	HP	X-CV
All	1,041	468.62		1.10
FL8@3.0	1,030	471.82		1.10



Gate	Number	X-Mean	HP	X-CV
All	1,001	474.36		N/A
FL9@4.0	908	518.52		1.39



Gate	Number	X-Mean	HP	X-CV
All	1,001	455.98		N/A
FL10@4.0	904	487.19		1.04