







Gate	Number	X-Mean	HP	X-CV
All	5,296	544.67		1.49
FCblue@2.0	2,528	901.60		1.09
FCred	1,146	309.76		1.38
FCviolet	1,185	111.45		1.49




Gate	Number	X-Mean	HP	X-CV
All	2,528	494.62		0.78
FL1@2.0	2,521	494.90		0.78




Gate	Number	X-Mean	HP	X-CV
All	2,528	492.69		0.95
FL2@2.0	2,524	492.85		0.95




Gate	Number	X-Mean	HP	X-CV
All	2,528	499.30		0.85
FL3@2.0	2,526	499.46		0.85




Gate	Number	X-AMean	HP	X-CV
All	2,528	494.15	1.04	
FL4@2.0	2,523	494.32	1.04	




Gate	Number	X-AMean	HP	X-CV
All	2,528	503.44	1.18	
FL5@2.5	2,527	503.64	1.18	




Gate	Number	X-AMean	HP	X-CV
All	1,146	499.04	0.75	
FL6@3.0	1,122	508.92	0.75	




Gate	Number	X-AMean	HP	X-CV
All	1,146	482.79	1.39	
FL7@3.0	1,124	492.24	1.39	



Gate	Number	X-Mean	HP	X-CV
All	1,146	463.08		1.35
FL8@3.0	1,109	472.52		1.35



Gate	Number	X-Mean	HP	X-CV
All	1,185	426.87		N/A
FL9@4.0	997	501.17		1.97



Gate	Number	X-Mean	HP	X-CV
All	1,185	412.63		N/A
FL10@4.0	1,002	472.72		1.64