







Gate	Number	X-Mean	HP	X-CV
All	5,399	548.55		1.83
FCblue@2.0	2,500	918.50		0.88
FCred	1,354	316.25		1.07
FCviolet	1,245	114.35		1.83




Gate	Number	X-Mean	HP	X-CV
All	2,500	503.39		1.26
FL1@2.0	2,495	503.62		1.26




Gate	Number	X-Mean	HP	X-CV
All	2,500	500.90		0.92
FL2@2.0	2,493	501.00		0.92




Gate	Number	X-Mean	HP	X-CV
All	2,500	509.65		1.00
FL3@2.0	2,498	509.83		1.00




Gate	Number	X-Mean	HP	X-CV
All	2,500	501.65	0.84	
FL4@2.0	2,493	501.57	0.84	




Gate	Number	X-Mean	HP	X-CV
All	2,500	510.55	1.33	
FL5@2.5	2,497	510.60	1.33	




Gate	Number	X-Mean	HP	X-CV
All	1,354	492.61	1.04	
FL6@3.0	1,342	496.36	1.04	




Gate	Number	X-Mean	HP	X-CV
All	1,354	479.79	0.97	
FL7@3.0	1,343	483.42	0.97	



Gate	Number	X-AMean	HP	X-CV
All	1,354	466.53		1.37
FL8@3.0	1,343	470.06		1.37



Gate	Number	X-AMean	HP	X-CV
All	1,245	468.96		1.37
FL9@4.0	1,164	497.87		1.37



Gate	Number	X-AMean	HP	X-CV
All	1,245	455.32		1.26
FL10@4.0	1,164	472.28		1.26