







Gate	Number	X-Mean	HP	X-CV
All	5,721	533.49		1.83
FCblue@2.0	2,500	925.62		0.88
FCred	1,547	319.36		0.80
FCviolet	1,372	115.80		1.83



Gate	Number	X-Mean	HP	X-CV
All	2,500	503.23		1.09
FL1@2.0	2,497	503.24		1.09




Gate	Number	X-Mean	HP	X-CV
All	2,500	494.35		1.02
FL2@2.0	2,498	494.29		1.02




Gate	Number	X-Mean	HP	X-CV
All	2,500	520.37		1.14
FL3@2.0	2,495	520.23		1.14

[FCblue@2.0] FL4




Gate	Number	X-AMean	HP	X-CV
All	2,500	521.62	1.21	
FL4@2.0	2,459	520.66	1.21	

[FCblue@2.0] FL5




Gate	Number	X-AMean	HP	X-CV
All	2,500	531.24	1.28	
FL5@2.5	2,499	531.05	1.28	

[FCred] FL6




Gate	Number	X-AMean	HP	X-CV
All	1,547	532.93	0.96	
FL6@3.0	1,490	534.62	0.96	


[FCred] FL7




Gate	Number	X-AMean	HP	X-CV
All	1,547	516.11	0.82	
FL7@3.0	1,502	517.87	0.82	



Gate	Number	X-AMean	HP	X-CV
All	1,547	516.61	0.99	
FL8@3.0	1,523	518.82	0.99	



Gate	Number	X-AMean	HP	X-CV
All	1,372	567.54	0.93	
FL9@4.0	1,324	585.74	0.93	



Gate	Number	X-AMean	HP	X-CV
All	1,372	535.41	0.93	
FL10@4.0	1,315	544.92	0.93	