







Gate	X-AMean	HP	X-CV
All	649.98		1.44
FCblue@2.0	927.67		0.87
FCred	320.19		0.80
FCviolet	117.12		1.44




Gate	X-AMean	HP	X-CV
All	534.16		1.12
FL5@2.5	534.38		1.12




Gate	X-AMean	HP	X-CV
All	516.88		1.07
FL1@2.0	516.98		1.07




Gate	X-AMean	HP	X-CV
All	516.83		1.23
FL2@2.0	516.61		1.23




Gate	X-AMean	HP	X-CV
All	526.63		0.89
FL3@2.0	526.71		0.89




Gate	X-AMean	HP	X-CV
All	528.74		1.04
FL4@2.0	528.06		1.04




Gate	X-AMean	HP	X-CV
All	502.53		0.51
FL6@3.0	507.39		0.51




Gate	X-AMean	HP	X-CV
All	494.85		0.86
FL7@3.0	499.57		0.86



Gate	X-AMean	HP	X-CV
All	501.27		0.84
FL8@3.0	506.12		0.84



Gate	X-AMean	HP	X-CV
All	489.40		1.17
FL9@4.0	507.65		1.17



Gate	X-AMean	HP	X-CV
All	468.58		1.16
FL10@4.0	478.48		1.16

Monday, January 22, 2018 9:41 AM