







Gate	X-A-Mean	HP	X-CV
All	536.83	1.81	
FCblue@2.0	923.06	0.92	
FCred	318.76	0.94	
FCviolet	116.63	1.81	




Gate	X-A-Mean	HP	X-CV
All	499.76	1.19	
FL1@2.0	499.98	1.19	




Gate	X-A-Mean	HP	X-CV
All	510.38	1.25	
FL2@2.0	510.19	1.25	




Gate	X-A-Mean	HP	X-CV
All	514.39	1.15	
FL3@2.0	514.55	1.15	




Gate	X-A-Mean	HP	X-CV
All	507.19	1.17	
FL4@2.0	507.02	1.17	




Gate	X-A-Mean	HP	X-CV
All	521.77	1.22	
FL5@2.5	521.60	1.22	




Gate	X-A-Mean	HP	X-CV
All	498.18	0.94	
FL6@3.0	499.23	0.94	




Gate	X-A-Mean	HP	X-CV
All	482.01	1.24	
FL7@3.0	483.02	1.24	



Gate	X-A-Mean	HP	X-CV
All	495.70	1.12	
FL8@3.0	496.74	1.12	



Gate	X-A-Mean	HP	X-CV
All	507.00	1.47	
FL9@4.0	514.32	1.47	



Gate	X-A-Mean	HP	X-CV
All	487.64	1.39	
FL10@4.0	491.35	1.39	