







Gate	X-A-Mean	HP	X-CV
All	654.60		1.78
FCblue@2.0	926.85		1.15
FCred	320.96		0.80
FCviolet	117.41		1.78




Gate	X-A-Mean	HP	X-CV
All	506.05		1.33
FL1@2.0	506.09		1.33




Gate	X-A-Mean	HP	X-CV
All	515.06		1.23
FL2@2.0	514.77		1.23




Gate	X-A-Mean	HP	X-CV
All	521.05		1.46
FL3@2.0	521.02		1.46




Gate	X-A-Mean	HP	X-CV
All	513.02		1.41
FL4@2.0	513.07		1.41




Gate	X-A-Mean	HP	X-CV
All	522.72		1.14
FL5@2.5	522.72		1.14




Gate	X-A-Mean	HP	X-CV
All	497.07		0.94
FL6@3.0	498.88		0.94




Gate	X-A-Mean	HP	X-CV
All	481.08		0.97
FL7@3.0	482.83		0.97



Gate	X-A-Mean	HP	X-CV
All	498.99		1.12
FL8@3.0	500.82		1.12



Gate	X-A-Mean	HP	X-CV
All	493.45		1.17
FL9@4.0	511.17		1.17



Gate	X-A-Mean	HP	X-CV
All	483.75		1.12
FL10@4.0	491.65		1.12