







Gate	X-A-Mean	HP	X-CV
All	602.80	1.80	
FCblue@2.0	956.04	0.58	
FCred	315.81	1.21	
FCviolet	117.56	1.80	




Gate	X-A-Mean	HP	X-CV
All	521.30	1.19	
FL1@2.0	521.71	1.19	




Gate	X-A-Mean	HP	X-CV
All	517.21	1.27	
FL2@2.0	517.59	1.27	




Gate	X-A-Mean	HP	X-CV
All	516.25	1.21	
FL3@2.0	516.63	1.21	




Gate	X-A-Mean	HP	X-CV
All	504.08	1.41	
FL4@2.0	504.05	1.41	




Gate	X-A-Mean	HP	X-CV
All	497.42	1.44	
FL5@2.5	497.41	1.44	




Gate	X-A-Mean	HP	X-CV
All	516.07	0.57	
FL6@3.0	518.90	0.57	




Gate	X-A-Mean	HP	X-CV
All	509.91	0.83	
FL7@3.0	512.64	0.83	



Gate	X-A-Mean	HP	X-CV
All	534.86	0.95	
FL8@3.0	537.73	0.95	



Gate	X-A-Mean	HP	X-CV
All	528.53	0.77	
FL9@4.0	540.30	0.77	



Gate	X-A-Mean	HP	X-CV
All	524.83	0.87	
FL10@4.0	533.97	0.87	