







Gate	X-A-Mean	HP	X-CV
All	637.63	0.66	
FCblue@2.0	973.20	0.66	
FCred	321.94	1.05	
FCviolet	119.65	1.77	




Gate	X-A-Mean	HP	X-CV
All	516.40	1.13	
FL1@2.0	516.97	1.13	




Gate	X-A-Mean	HP	X-CV
All	508.88	0.98	
FL2@2.0	509.43	0.98	




Gate	X-A-Mean	HP	X-CV
All	512.13	1.15	
FL3@2.0	512.68	1.15	




Gate	X-A-Mean	HP	X-CV
All	501.25	0.92	
FL4@2.0	501.46	0.92	




Gate	X-A-Mean	HP	X-CV
All	493.23	1.36	
FL5@2.5	493.38	1.36	




Gate	X-A-Mean	HP	X-CV
All	506.76	0.58	
FL6@3.0	512.18	0.58	




Gate	X-A-Mean	HP	X-CV
All	503.13	0.84	
FL7@3.0	508.46	0.84	



Gate	X-A-Mean	HP	X-CV
All	527.51	0.64	
FL8@3.0	533.15	0.64	



Gate	X-A-Mean	HP	X-CV
All	515.27	0.94	
FL9@4.0	530.10	0.94	



Gate	X-A-Mean	HP	X-CV
All	517.87	0.72	
FL10@4.0	528.12	0.72	