







Gate	X-A-Mean	HP	X-CV
All	589.96	1.77	
FCblue@2.0	968.78	0.66	
FCred	321.52	0.80	
FCviolet	118.90	1.77	




Gate	X-A-Mean	HP	X-CV
All	503.95	1.41	
FL1@2.0	504.72	1.41	




Gate	X-A-Mean	HP	X-CV
All	524.27	1.11	
FL2@2.0	524.94	1.11	




Gate	X-A-Mean	HP	X-CV
All	495.21	1.52	
FL3@2.0	495.89	1.52	




Gate	X-A-Mean	HP	X-CV
All	487.42	0.95	
FL4@2.0	487.17	0.95	




Gate	X-A-Mean	HP	X-CV
All	489.25	1.20	
FL5@2.5	488.79	1.20	




Gate	X-A-Mean	HP	X-CV
All	506.91	0.59	
FL6@3.0	507.54	0.59	




Gate	X-A-Mean	HP	X-CV
All	504.69	0.76	
FL7@3.0	505.16	0.76	



Gate	X-A-Mean	HP	X-CV
All	527.61	0.73	
FL8@3.0	528.16	0.73	



Gate	X-A-Mean	HP	X-CV
All	524.36	0.70	
FL9@4.0	533.02	0.70	



Gate	X-A-Mean	HP	X-CV
All	520.77	0.89	
FL10@4.0	526.08	0.89	