







Gate	X-A-Mean	HP	X-CV
All	575.02	0.48	
FCblue@2.0	965.48	0.48	
FCred	320.05	0.93	
FCviolet	118.12	2.16	




Gate	X-A-Mean	HP	X-CV
All	490.57	0.78	
FL1@2.0	490.74	0.78	




Gate	X-A-Mean	HP	X-CV
All	509.72	0.99	
FL2@2.0	509.78	0.99	




Gate	X-A-Mean	HP	X-CV
All	491.63	0.86	
FL3@2.0	491.71	0.86	




Gate	X-A-Mean	HP	X-CV
All	485.98	0.78	
FL4@2.0	486.01	0.78	




Gate	X-A-Mean	HP	X-CV
All	487.32	0.95	
FL5@2.5	487.35	0.95	




Gate	X-A-Mean	HP	X-CV
All	482.96	0.52	
FL6@3.0	490.37	0.52	




Gate	X-A-Mean	HP	X-CV
All	483.27	0.69	
FL7@3.0	490.68	0.69	



Gate	X-A-Mean	HP	X-CV
All	495.60	0.85	
FL8@3.0	503.30	0.85	



Gate	X-A-Mean	HP	X-CV
All	499.63	0.79	
FL9@4.0	533.56	0.79	



Gate	X-A-Mean	HP	X-CV
All	493.70	0.73	
FL10@4.0	524.42	0.73	