







Gate	X-A-Mean	HP	X-CV
All	629.09	0.62	
FCblue@2.0	960.73	0.62	
FCred	317.68	1.07	
FCviolet	117.70	2.14	




Gate	X-A-Mean	HP	X-CV
All	484.89	1.21	
FL1@2.0	485.54	1.21	




Gate	X-A-Mean	HP	X-CV
All	503.90	1.00	
FL2@2.0	504.58	1.00	




Gate	X-A-Mean	HP	X-CV
All	485.52	0.86	
FL3@2.0	486.17	0.86	




Gate	X-A-Mean	HP	X-CV
All	489.74	0.86	
FL4@2.0	489.30	0.86	




Gate	X-A-Mean	HP	X-CV
All	483.59	1.57	
FL5@2.5	483.17	1.57	




Gate	X-A-Mean	HP	X-CV
All	488.77	0.70	
FL6@3.0	490.21	0.70	




Gate	X-A-Mean	HP	X-CV
All	489.80	0.86	
FL7@3.0	491.25	0.86	



Gate	X-A-Mean	HP	X-CV
All	502.63	0.76	
FL8@3.0	504.12	0.76	



Gate	X-A-Mean	HP	X-CV
All	514.59	1.44	
FL9@4.0	526.53	1.44	



Gate	X-A-Mean	HP	X-CV
All	508.75	0.90	
FL10@4.0	519.25	0.90	