







Gate	X-A-Mean	HP	X-CV
All	576.67	2.07	
FCblue@2.0	989.57	0.47	
FCred	326.92	0.91	
FCviolet	122.10	2.07	




Gate	X-A-Mean	HP	X-CV
All	510.30	1.45	
FL1@2.0	510.58	1.45	




Gate	X-A-Mean	HP	X-CV
All	514.84	0.96	
FL2@2.0	515.15	0.96	




Gate	X-A-Mean	HP	X-CV
All	512.42	1.30	
FL3@2.0	512.63	1.30	




Gate	X-A-Mean	HP	X-CV
All	492.89	1.43	
FL4@2.0	492.68	1.43	




Gate	X-A-Mean	HP	X-CV
All	510.27	1.07	
FL5@2.5	510.07	1.07	




Gate	X-A-Mean	HP	X-CV
All	533.47	0.64	
FL6@3.0	535.06	0.64	




Gate	X-A-Mean	HP	X-CV
All	545.06	0.77	
FL7@3.0	546.62	0.77	



Gate	X-A-Mean	HP	X-CV
All	524.41	1.05	
FL8@3.0	525.91	1.05	



Gate	X-A-Mean	HP	X-CV
All	504.49	1.22	
FL9@4.0	507.37	1.22	



Gate	X-A-Mean	HP	X-CV
All	507.18	1.16	
FL10@4.0	510.01	1.16	