







Gate	X-A-Mean	HP	X-CV
All	620.67	2.12	
FCblue@2.0	963.51	0.62	
FCred	320.34	1.46	
FCviolet	118.36	2.12	




Gate	X-A-Mean	HP	X-CV
All	501.00	1.01	
FL1@2.0	501.17	1.01	




Gate	X-A-Mean	HP	X-CV
All	485.81	1.04	
FL2@2.0	486.08	1.04	




Gate	X-A-Mean	HP	X-CV
All	495.78	1.11	
FL3@2.0	495.98	1.11	




Gate	X-A-Mean	HP	X-CV
All	488.89	0.95	
FL4@2.0	488.65	0.95	




Gate	X-A-Mean	HP	X-CV
All	496.41	1.12	
FL5@2.5	496.19	1.12	




Gate	X-A-Mean	HP	X-CV
All	517.55	0.66	
FL6@3.0	518.94	0.66	




Gate	X-A-Mean	HP	X-CV
All	530.90	0.88	
FL7@3.0	532.40	0.88	



Gate	X-A-Mean	HP	X-CV
All	488.21	1.04	
FL8@3.0	489.59	1.04	



Gate	X-A-Mean	HP	X-CV
All	487.22	1.02	
FL9@4.0	492.45	1.02	



Gate	X-A-Mean	HP	X-CV
All	490.27	0.95	
FL10@4.0	495.53	0.95	