







Gate	X-A-Mean	HP	X-CV
All	678.24	0.61	
FCblue@2.0	982.58	0.61	
FCred	325.43	1.18	
FCviolet	120.69	1.75	




Gate	X-A-Mean	HP	X-CV
All	514.83	1.30	
FL1@2.0	515.34	1.30	




Gate	X-A-Mean	HP	X-CV
All	502.37	1.42	
FL2@2.0	503.06	1.42	




Gate	X-A-Mean	HP	X-CV
All	509.77	1.24	
FL3@2.0	510.37	1.24	




Gate	X-A-Mean	HP	X-CV
All	485.11	1.30	
FL4@2.0	484.46	1.30	




Gate	X-A-Mean	HP	X-CV
All	511.12	1.32	
FL5@2.5	510.50	1.32	




Gate	X-A-Mean	HP	X-CV
All	528.97	0.88	
FL6@3.0	531.07	0.88	




Gate	X-A-Mean	HP	X-CV
All	539.96	1.02	
FL7@3.0	542.65	1.02	



Gate	X-A-Mean	HP	X-CV
All	501.84	1.02	
FL8@3.0	504.33	1.02	



Gate	X-A-Mean	HP	X-CV
All	493.44	1.10	
FL9@4.0	498.31	1.10	



Gate	X-A-Mean	HP	X-CV
All	495.17	0.94	
FL10@4.0	500.05	0.94	