







Gate	X-A-Mean	HP	X-CV
All	623.27	0.48	
FCblue@2.0	971.28	0.48	
FCred	322.82	0.92	
FCviolet	119.29	1.77	




Gate	X-A-Mean	HP	X-CV
All	500.68	1.01	
FL1@2.0	500.70	1.01	




Gate	X-A-Mean	HP	X-CV
All	487.04	1.12	
FL2@2.0	487.38	1.12	




Gate	X-A-Mean	HP	X-CV
All	501.93	1.09	
FL3@2.0	501.99	1.09	




Gate	X-A-Mean	HP	X-CV
All	489.20	1.03	
FL4@2.0	489.24	1.03	




Gate	X-A-Mean	HP	X-CV
All	498.63	1.27	
FL5@2.5	498.69	1.27	




Gate	X-A-Mean	HP	X-CV
All	504.65	0.67	
FL6@3.0	507.91	0.67	




Gate	X-A-Mean	HP	X-CV
All	528.08	0.72	
FL7@3.0	531.50	0.72	



Gate	X-A-Mean	HP	X-CV
All	483.94	0.79	
FL8@3.0	486.95	0.79	



Gate	X-A-Mean	HP	X-CV
All	461.68	1.27	
FL9@4.0	465.25	1.27	



Gate	X-A-Mean	HP	X-CV
All	473.49	1.07	
FL10@4.0	476.53	1.07	