







Gate	X-A-Mean	HP	X-CV
All	659.43	0.58	
FCblue@2.0	961.52	0.58	
FCred	318.14	1.35	
FCviolet	118.27	1.77	




Gate	X-A-Mean	HP	X-CV
All	525.87	1.03	
FL1@2.0	525.43	1.03	




Gate	X-A-Mean	HP	X-CV
All	514.18	1.12	
FL2@2.0	514.62	1.12	




Gate	X-A-Mean	HP	X-CV
All	518.18	1.05	
FL3@2.0	518.56	1.05	




Gate	X-A-Mean	HP	X-CV
All	510.30	1.15	
FL4@2.0	509.80	1.15	




Gate	X-A-Mean	HP	X-CV
All	518.74	1.30	
FL5@2.5	518.30	1.30	




Gate	X-A-Mean	HP	X-CV
All	528.23	0.57	
FL6@3.0	528.36	0.57	




Gate	X-A-Mean	HP	X-CV
All	547.27	0.55	
FL7@3.0	547.89	0.55	



Gate	X-A-Mean	HP	X-CV
All	511.27	0.84	
FL8@3.0	511.85	0.84	



Gate	X-A-Mean	HP	X-CV
All	476.03	0.96	
FL9@4.0	479.90	0.96	



Gate	X-A-Mean	HP	X-CV
All	485.95	1.04	
FL10@4.0	488.94	1.04	