







Gate	X-A-Mean	HP	X-CV
All	647.48	0.48	
FCblue@2.0	980.88	0.48	
FCred	324.55	1.05	
FCviolet	120.51	1.39	




Gate	X-A-Mean	HP	X-CV
All	518.11	1.44	
FL1@2.0	518.45	1.44	




Gate	X-A-Mean	HP	X-CV
All	516.55	1.61	
FL2@2.0	517.28	1.61	




Gate	X-A-Mean	HP	X-CV
All	498.24	1.45	
FL3@2.0	498.84	1.45	




Gate	X-A-Mean	HP	X-CV
All	507.92	1.41	
FL4@2.0	507.12	1.41	




Gate	X-A-Mean	HP	X-CV
All	516.96	0.98	
FL5@2.5	516.30	0.98	




Gate	X-A-Mean	HP	X-CV
All	517.19	0.74	
FL6@3.0	518.83	0.74	




Gate	X-A-Mean	HP	X-CV
All	543.49	1.18	
FL7@3.0	545.27	1.18	



Gate	X-A-Mean	HP	X-CV
All	494.25	1.12	
FL8@3.0	495.87	1.12	



Gate	X-A-Mean	HP	X-CV
All	503.40	1.07	
FL9@4.0	507.60	1.07	



Gate	X-A-Mean	HP	X-CV
All	508.75	1.00	
FL10@4.0	512.88	1.00	