







Gate	X-A-Mean	HP	X-CV
All	597.82	0.48	
FCblue@2.0	970.70	0.48	
FCred	321.53	1.06	
FCviolet	119.14	1.75	




Gate	X-A-Mean	HP	X-CV
All	501.24	1.49	
FL1@2.0	501.65	1.49	




Gate	X-A-Mean	HP	X-CV
All	497.74	0.58	
FL2@2.0	498.19	0.58	




Gate	X-A-Mean	HP	X-CV
All	486.24	1.40	
FL3@2.0	486.67	1.40	




Gate	X-A-Mean	HP	X-CV
All	491.79	1.11	
FL4@2.0	490.83	1.11	




Gate	X-A-Mean	HP	X-CV
All	503.74	1.01	
FL5@2.5	502.87	1.01	




Gate	X-A-Mean	HP	X-CV
All	513.18	0.50	
FL6@3.0	513.18	0.50	




Gate	X-A-Mean	HP	X-CV
All	500.30	0.68	
FL7@3.0	500.30	0.68	



Gate	X-A-Mean	HP	X-CV
All	512.11	1.00	
FL8@3.0	512.11	1.00	



Gate	X-A-Mean	HP	X-CV
All	531.19	0.78	
FL9@4.0	538.04	0.78	



Gate	X-A-Mean	HP	X-CV
All	527.87	0.95	
FL10@4.0	534.68	0.95	