







Gate	X-A-Mean	HP	X-CV
All	660.90	0.56	
FCblue@2.0	979.49	0.56	
FCred	323.40	1.06	
FCviolet	120.51	1.74	




Gate	X-A-Mean	HP	X-CV
All	519.45	1.21	
FL1@2.0	519.72	1.21	




Gate	X-A-Mean	HP	X-CV
All	519.81	1.52	
FL2@2.0	520.05	1.52	




Gate	X-A-Mean	HP	X-CV
All	503.80	1.09	
FL3@2.0	504.00	1.09	




Gate	X-A-Mean	HP	X-CV
All	503.82	1.25	
FL4@2.0	503.61	1.25	




Gate	X-A-Mean	HP	X-CV
All	516.81	0.98	
FL5@2.5	516.61	0.98	




Gate	X-A-Mean	HP	X-CV
All	524.03	0.89	
FL6@3.0	526.39	0.89	




Gate	X-A-Mean	HP	X-CV
All	506.18	0.75	
FL7@3.0	509.01	0.75	



Gate	X-A-Mean	HP	X-CV
All	521.77	0.89	
FL8@3.0	524.68	0.89	



Gate	X-A-Mean	HP	X-CV
All	499.58	1.33	
FL9@4.0	504.26	1.33	



Gate	X-A-Mean	HP	X-CV
All	500.96	1.17	
FL10@4.0	505.65	1.17	